#### Name \_

Date \_

# **CAFAS® Reliability Booster Test**

You may reference your notes, the CAFAS® items, and Booster class handouts during testing PLEASE READ ALL QUESTIONS CAREFULLY BEFORE RESPONDING.

# Multiple Choice: Choose the ONE best response.

- 1. What does "CAFAS<sup>®</sup>" stand for?
  - A. Children's Assessment For Academic Status
  - C. Common Assessment For Abilities Scale
- 2. When is a CAFAS<sup>®</sup> rated for a client? A. Intake only
  - C. Intake and Exit

- Child and Adolescent Fair Access Screen B.
- D. Child and Adolescent Functional **Assessment Scale**
- B. Intake, Every three months while receiving treatment, Exit, (Optional: Follow-up)
- D. Only when the client requests it

6 through 18

- 3. When completing a quarterly CAFAS<sup>®</sup> assessment, behaviors should be included from which time period?
  - A. Last 6 weeks B. Last 2 weeks C. Last 3 months D. Last 6 months
- 4. According to the Michigan Department of Community Health (MDCH) funding requirements, for what age range must all Seriously Emotionally Disturbed (SED) youth in the CMHSP system receive CAFAS<sup>®</sup> assessments?

B.

- A. 5 through 17
- C. 7 through 17 (or up to 21 if EPSDT) D. 3 through 21
- 5. Which is the true statement?
  - A. Behaviors are rated on the CAFAS® when they are outside of age-typical expectations and result in direct or indirect negative consequences (functional impairments) for the child.
  - C. CAFAS® scores dictate treatment approaches
- If the family views the child's behavior as B. "normal" (e.g. getting into fights) you would not rate the behavior on the CAFAS®.
- Any time a child displays noncompliant or D. inappropriate behaviors, they will have a score higher than zero ("0") on the CAFAS®.
- 6. How many different caregiver households can be scored with the CAFAS<sup>®</sup> Caregiver subscales?
  - B. Two A. One
  - C. Three
- D. Four

### Score: \_\_\_\_\_ out of 25

- 7. Which response indicates acceptable source(s) of information to reference when scoring the CAFAS<sup>®</sup>:
  - A. DSM criteria for diagnosis

C. Ignore it

- C. Caregiver, youth, probation officer, academic records
- B. The child's horoscope
- D. The clinician's experience from treating other children and recognizing hidden/underlying issues
- 8. What should you do if a caregiver or teacher reports that a child has a problem that the child denies (i.e. shoplifting)?
  - A. Score as if it is known to be true (the "Good Faith Rule")
- B. Call Child Protective Services
- D. Score based on the child's report
- 9. Which statement best supports building collaborative relationships with caregivers?
  - A. Parents shouldn't be burdened with CAFAS® results as this is extraneous information to their role as parents.
  - C. The best time to introduce CAFAS® to caregivers is when it's necessary to explain why a youth no longer qualifies for services.
- B. Sharing CAFAS® assessment information can validate/confirm parent experiences and helps to establish rapport and trust.
- D. Time spent attempting to explain the CAFAS® to caregivers takes away from limited treatment time.

10. The criteria for identifying a youth as being Pervasively Behaviorally Impaired (PBI) is Moderate(20) or Severe(30) impairment in which combination of CAFAS<sup>®</sup> subscales?

- A. Self-Harm, Substance Use & Thinking
- C. Community & Substance Use
- B. School, Home & Behavior Toward Others
- D. Moods & Self-Harm


school.

- 11. How do you rate the School subscale when the youth is on summer break?
  - A. You don't.

- B. You guess how they would have behaved had they been in school during that time.
- C. You rate their behavior during the time D. You only rate if they attend summer they were in school.
- 12. By CAFAS<sup>®</sup> rating guidelines, which item indicates the only excused or accepted reasons for missing school (e.g. that never count toward "absent" or "truant" items in the School subscale)?
  - A. Child is too afraid to attend school
  - C. Physical illness, family vacation, or religious practice
- B. Parents have been unable to take them
- D. Child is psychiatrically hospitalized or incarcerated

- 13. Which CAFAS<sup>®</sup> item number is endorsed when a youth has <u>not</u> gotten into any serious trouble at school lately but is in an Emotionally Impaired (EI) class because his Individualized Education Plan (IEP) indicates that this support is necessary to maintain performance?
  - A. 005
  - C. 024

- B. **017**
- D. 029



# True or False: Circle either True OR False

- 15. True or **False**: A child gets an automatic score of 30 (Severe) on the Home subscale if they are removed from their parents' home for any reason.
- 16. **True** or False: The accuracy of a CAFAS<sup>®</sup> rating might be influenced by the rater's interviewing skills.

## Subscale Recognition: Circle the ONE best answer to support each question

- 17. Which subscales <u>always</u> have a score greater than zero when a child or adolescent: is failing school because they are too depressed to do the work?
  - A. School & Substance Use
- B. Home & Moods

C. School & Moods

D. Community & Self-Harmful Behavior

Copyright ©2006. Multi-Health Systems Inc. All rights reserved. Not to be translated or reproduced in whole or part, stored in a retrieval system, or transmitted in any form or by any means, photocopying, mechanical, electronic, recording or otherwise, without prior permission in writing from Multi-Health Systems Inc. Applications for written permission should be directed in writing to Multi-Health Systems Inc. at 3770 Victoria Park Avenue, Toronto, Ontario M2H 3M6, Canada.

- 18. Which subscale always has a score greater than zero when a child or adolescent plays with fire and they are aware of the dangers?
  - A. School

C. Community

- B. Home
- D. Behavior Toward Others
- 19. Which subscale always has a score greater than zero when a child or adolescent: smokes cigarettes?
  - A. None B. Home C. Community D. Substance Use
- 20. Which subscales always have a score greater than zero when a child or adolescent: is depressed and has a plan to commit suicide?
  - A. Moods & Thinking B. Home & Self-Harm
  - C. Moods & Self-Harm D. Moods, Self-Harm & Thinking
- 21. When things aren't going her way this youth abruptly explodes into a temper tantrum. She typically yells, slams doors, threatens and screams at her parents for a long time before she calms down. Which CAFAS<sup>®</sup> subscale is this rated on?
  - A. School B. Community C. Behavior Toward Others D. Moods
- 22. Johnny got angry at his brother and physically assaulted him. His parents called the police and pressed assault charges. In this scenario, which CAFAS<sup>®</sup> subscale(s) will have a score greater than zero?
  - A. Home, Community & Behavior B. Home **Toward Others** C. Moods & Thinking D. Home, Moods & Thinking
- 23. This youth denies using drugs or alcohol but recently his friendships have changed. He now mostly hangs out with kids who are known to regularly use marijuana and spend their time "partying." Which item is endorsed?

A.	155	В.	168
C.	172	D.	177

- 24. Which statement is **NOT** true? A child experiencing hallucinations might accurately have a "0" (Minimal or No Impairment) on the Thinking subscale if:
  - A. The hallucinations are the result of a fever B. The hallucinations occur because the youth
- is high from substance use
  - C. The perceptions are an accepted part of the youth's established religious culture
- D. The youth could never have a "zero" if they experience hallucinations, regardless of the reason

- 25. Which of the following statements is the <u>most</u> accurate for the CAFAS<sup>®</sup> Thinking subscale?
  - A. This subscale captures any type of unhealthy thoughts. Examples could include an adolescent who "car surfs" because he believes nothing bad will happen to him, a girl who refuses to take any responsibility for her own actions, and a boy who worries that his parents' divorce is his fault.
  - **B.** This subscale captures relatively rare and extreme thought problems. These problems are often a result of irrational thought processes that go beyond just inaccurate thoughts. More often than not, youth with these problems have relatively severe diagnoses and need psychiatric intervention.
  - C. A youth who contemplates suicide will always get a Moderate or Severe rating on this subscale.
  - D. The child's age, developmental level and cultural background has nothing to do with determining if their thoughts are abnormal or not.